
SINOX®

Simplify green living

AN ISO 9001:2015 CERTIFIED COMPANY



ELECTRIC WATER HEATER

www.sinoxpower.com

सर्दियों में भरोसेमंद साथी...

ELECTRIC WATER HEATER


REVIVE.
REFRESH.
ENERGY.



TRIPLE SHIELD

PROTECTION FROM HARD WATER





Smart energy management

Smart design with Standby cut off that consumes less electricity

8 bar pressure

Suitable for high-rise buildings

Extra safe

Precision sensing device with capillary type thermostat and thermal cut out that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction

5 star rated energy efficient

High Grade Eco- friendly Puf insulation ensures high heat retension and thus reducing your electricity bills

QUBIC

Available In: 20 / 30 LTR.
Wattage: 2000W

- Superior Glassline coating
- Incoloy heating element
- Shock & Rust Proof ABS Body
- Advanced 3 level precision safety
- Energy saving Insulated PUF
- 8 Bar pressure

It Protects The Tank From Corrosion With The Help Of Advanced Coating Developed By Baking The Tank Above To 875°c Allowing Tank To Function In Tough Conditions Of Hard Water

Acts As A Safeguard & Protects The Tank From Corrosion

33% Extra long life as it has excellent oxidation resistance even in high temperature and thus has anti scaling property

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
CT-20	20	395x355x420	520x465x440	7.4	9.9
CT-30	30	460x395x486	575x510x455	9.3	12.0

2 YEARS Replacement GUARANTEE*

*T&C APPLY



Smart energy management

Smart design with Standby cut off that consumes less electricity

8 bar pressure

Suitable for high-rise buildings

Extra safe

Precision sensing device with capillary type thermostat and thermal cut out that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction

5 star rated energy efficient

High Grade Eco- friendly Puf insulation ensures high heat retension and thus reducing your electricity bills

CANTON

Available In:
10 / 20 / 30 / 50 LTR.
Wattage: 2000W

- Superior Glassline coating
- Incoloy heating element
- Premium Paint Finish
- Advanced 3 level precision safety
- Energy saving Insulated PUF
- 8 Bar pressure

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
CT-10	10	315x345x390	385x365x440	6.6	7.9
CT-20	20	315x345x470	385x365x530	8.0	9.7
CT-30	30	360x385x530	420x405x590	10.2	11.0
CT-50	50	440x470x645	725x495x550	15.5	18.2

2 YEARS Replacement GUARANTEE*

*T&C APPLY

STARCO PRIME

Available In:
30 / 50 / 80 / 100 / 120 LTR.
Wattage: 2000W / 3000W





- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

2 YEARS Replacement GUARANTEE*

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SCP-30	30	345x375x500	420x385x590	8.2	9.4
SCP-50	50	385x405x595	440x420x695	9.8	11.3
SCP-80	80	415x435x690	490x450x760	10.6	13.0
SCP-100	100	415x435x880	490x450x950	13.3	14.8
SCP-120	120	415x435x975	482x450x1054	15.8	17.4

Tank Coating

Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element

These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient

High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

*T&C APPLY



STARCO

Available In: 10 / 20 LTR.
Wattage: 2000W



- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- 6.5 Bar pressure
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology

2 YEARS Replacement GUARANTEE*

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SC-10	10	260x270x440	310x320x515	5.0	5.9
SC-20	20	315x355x430	385x360x555	6.3	7.7

Tank Coating
Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off
Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element
These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management
Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient
High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

*T&C APPLY

GLOSSY

Available In: 10 LTR.
Wattage: 2000W





- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof ABS Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

WARRANTY
- 5yrs Tank
- 2yrs Element
- 2yrs Product

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
GS-10	10	280x310x450	310x320x515	4.8	5.7

Tank Coating
Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off
Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element
These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management
Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient
High Quality Glass Wool to Maintain Hot Water for Longer Duaration, thus reducing your electricity bills

*T&C APPLY



LOREX

Available In: 10 / 20 LTR.
Wattage: 2000W



- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

WARRANTY

- **5yrs** Tank
- **2yrs** Element
- **2yrs** Product

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
LR-10	10	290x310x460	310x320x515	5.0	5.9
LR-20	20	315x350x440	410x385x550	6.3	7.6

Tank Coating
Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off
Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element
These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management
Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient
High Grade Puff insulation ensures high heat retention, thus reducing your electricity bills

*T&C APPLY

EVERSHINE

Available In: 20 / 30 LTR.
Wattage: 2000W



- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof ABS Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure



WARRANTY

- **5yrs** Tank
- **2yrs** Element
- **2yrs** Product

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
ES-20	20	330x365x460	405x385x550	5.8	7.0
ES-30	30	340x350x585	415x385x640	6.9	8.4

Tank Coating
Tanks helps to Store Different Capacities of Hot Water Coating Prevents Tank Material from Getting Rust & Leakage

Thermostat & Thermal Cut Off
Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element
These water heaters have 1200 gm superior heating element for faster heating. Achieve 45°C temperature in 10 mins

Smart energy management
Smart design with Standby cut off that consumes less electricity

5 star rated energy efficient
High Quality Glass Wool to Maintain Hot Water for Longer Duaration, thus reducing your electricity bills

*T&C APPLY





CAPTIVA

Available In: 3 LTR. | Wattage: 3000W

- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

2 YEARS Replacement GUARANTEE*

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
CP-03	03	210x175x355	250x250x430	2.3	3.0
LZ-03	03	210x215x355	250x250x430	2.5	3.3



SUPIDO

Available In: 5.5 LTR. | Wattage: 3000W

- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

2 YEARS Replacement GUARANTEE*

Model No.	Capacity (L)	Product Side (mm)	Packing Dimension (mm)	N.W (kg)	G.W (kg)
SP-5.5	5.5	240X230X425	290X275X500	3.5	4.5



LEZORA

Available In: 3 LTR. | Wattage: 3000W

- Incoloy heating element
- Longer Tank Lifespan
- Advanced 3 level precision safety
- Shock & Rust Proof Body
- Auto Cut - Off
- Swirl Flow Technology
- 6.5 Bar pressure

2 YEARS Replacement GUARANTEE*

Ultrathin Special Tank

Featuring a high-grade 304L Stainless Steel tank with a no weld line which reduces the chances of tank leakage thus providing longer life.

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element

These water heaters have 1000 gm superior heating element for faster heating. Achieve 45°C temperature in 2 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity

*T&C APPLY

Ultrathin Special Tank

Featuring a high-grade 304L Stainless Steel tank with a no weld line which reduces the chances of tank leakage thus providing longer life.

Thermostat & Thermal Cut Off

Provide safety to consumer, preventing water temperature exceeding desired limit

Powerful copper heating element

These water heaters have 1000 gm superior heating element for faster heating. Achieve 45°C temperature in 2 mins

Smart energy management

Smart design with Standby cut off that consumes less electricity


*T&C APPLY

Powered by
IFH Technology™
Instant | Flow | Heating



INDIA'S 1st
Tankless Water Heater Manufacturer

GET SET GO



3500/4500 W

12 MONTHS Replacement GUARANTEE*

*T & C APPLY

Relaxing Shower | Smart display | Compact Size
Instant Heating | Constant Temperature

Actual product may vary from the shown image.

DIGITAL TANKLESS WATER HEATER


BENEFITS

- Always be in control with **Smart Display**
- **Easy to use** touch control
- **Compact size** to suit installation of your choice**
- Get Constant **hot water** with high powered heating element
- **Save energy** with automatic power control
- **Overheat Protection** with automatic thermostat


Specifications

MODEL		Get Set GO
Power [W]		3500/4500
Voltage/Frequency [V/Hz]		230~/50
Rated water pressure	[N/cm2]	2-60
	Water head (metres)]	2-61.2
Dimensions	A [mm]	250
	B [mm]	98
	C [mm]	280
Net Weight [kg]		2*
Color		White

Note: Company reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.



INDIA'S 1st
Tankless Water Heater Manufacturer



- Shock & Rust Proof
- Compact And Portable
- Auto Power Cut Off
- Easy To Carry
- Time And Power Saver
- No Extra Plumbing Required
- Polypropylene Body

CLASSY

Available In: 1 LTR.
Wattage: 3000W



12 MONTHS Replacement GUARANTEE*

NEO

Available In: 1.5 LTR.
Wattage: 3000W





CAPTAIN 1

Available In: 1 LTR.
Wattage: 3000W

12 MONTHS Replacement GUARANTEE*

- Shock & Rust Proof
- Compact And Portable
- Auto Power Cut Off
- Easy To Carry
- Time And Power Saver
- No Extra Plumbing Required
- ABS Body

*T&C APPLY

- Fitted With MCB
- Shock & Rust Proof
- Compact And Portable
- Auto Power Cut Off
- Easy To Carry
- Time And Power Saver
- No Extra Plumbing Required
- Polypropylene Body

CLASSY Pro

Available In: 1 LTR.
Wattage: 3000W



12 MONTHS Replacement GUARANTEE*

NEO Pro

Available In: 1.5 LTR.
Wattage: 3000W





CAPTAIN 1 Pro

Available In: 1 LTR.
Wattage: 3000W

12 MONTHS Replacement GUARANTEE*

- Fitted With MCB
- Shock & Rust Proof
- Compact And Portable
- Auto Power Cut Off
- Easy To Carry
- Time And Power Saver
- No Extra Plumbing Required
- ABS Body

*T&C APPLY

SINOX POWER PVT. LTD.
Survey No. 212, Plot No. 5A, Near Vikas
Rolling Shutter, Veraval (Shapar)
Rajkot-360024, Gujarat, INDIA.

SALES : +91 80098 00647

SERVICE : +91 80000 61200

info@sinoxpower.com

www.**sinoxpower**.com